


Craggy Arch Ladder Connect Installation

See General Installation Guide regarding post footing information.

Mount the Bracket section to the end of the Craggy using seven (7) M8*60 inner hex screws, seven (7) M12 washers, and seven (7) M8 washers. Then, attach the Craggy Arch Ladder to the connection points on the bracket using two (2) M8 screws, two (2) M8 locking washers, two (2) M10 Loading Bolts, and two (2) M10 washers provided.



Step: 1


The Craggy PE Wall and Maze Rung Ladder attaches on both sides. Each connection point uses six (6) M12 bolts, six (6) M8*60 inner hex screws, six (12) M12 washers, and six (12) M8 washers.



Step: 2


Connect the attachment points of the Maze Run Ladder to the assigned clamps on the post.

Please refer to the Clamp Installation Guide for clamp to post assembly.



Craggy Rock Climber End Installation

Connect the craggy end section to the curved craggy section using ten (10) M12 barrel nuts, ten (10) M8*60 bolts, ten (10) M12 washers, and ten (10) M8 washers.



Craggy Vertical Ladder Installation

See general installation guide regarding footing information and dig proper holes for the craggy climbers. Then, attach the Craggy Vertical Ladder to the Craggy Climber section using six (6) M12 barrel nuts, six (6) M8*60 bolts, six (6) M12 washers, and six (6) M8 washers.



Craggy Slide Installation

STEP: 1


The Craggy Slide Platform attaches on both ends to the Craggy Connection Brackets. Each connection point uses seven (7) M12 bolts, seven (7) M8*60 inner hex screws, seven (7) M12 washers, and seven (7) M8 washers.

Refer to the General Installation Guide for footing information on slides and posts.



STEP: 2


Using two (2) M8*20, two (M8) spring washers. And two (2) M8 washers, attach the slide to the slide end mount.



Craggy Slide Installation


STEP: 3

Using two (2) M8*20 bolts, two (2) M8 spring washers, and two (2) M8 washers, attach the middle slide support post.



STEP: 4

To attach a single slide to a deck, use two (2) M10*45 bolts, four (4) M10 washers, and two (2) M10 lock nuts.



Craggy Slide Installation

STEP: 5

Connect the Arch Loop climber to the slide platform using two (2) M10*25 bolts and two (2) M10 Washers. The bottom of the Arch Loop climber will be placed into an in-ground footing.

Refer to the General Installation Guide for footing information for climbers.

